



Cindy Cox

AT&T South Carolina  
1600 Williams Street  
Suite 5470  
Columbia, SC 29201

T: 803.401.2252  
F: 803.771.4680  
cc2283@att.com  
www.att.com

December 5, 2008

The Honorable Charles L. A. Terreni  
Chief Clerk/Administrator  
Public Service Commission of South Carolina  
101 Executive Center Dr., Suite 100  
Columbia, South Carolina 29211

Dear Mr. Terreni:


Pursuant to S.C. Code Ann. §58-9-576, AT&T South Carolina respectfully submits the following tariff pages for filing with the Public Service Commission of South Carolina:

Private Line Services Tariff

- Section B3 - Thirteenth Revised Page 8
- Thirteenth Revised Page 9
- Seventh Revised Page 10
- Sixth Revised Page 11
- Seventh Revised Page 12

In lieu of briefly explaining this filing in this letter, AT&T South Carolina respectfully submits an explanation of this filing in the attached "Sample Notice of Filing," which is based on the document posted on the Commission's website. Although it is not clear that such a Notice is required for tariff filings, like this one, that are subject to the alternative regulation provisions of Section 58-9-576, AT&T South Carolina hopes the attached Notice will be useful to the Commission.

Yours very truly,

  
Executive Director

Attachment



*Public Service Commission of South Carolina*  
*Columbia, South Carolina*

**PROPOSED NOTICE OF FILING**

**BRIEF DESCRIPTION OF THE PLEADING (*Relief the Company is Seeking from the Commission*):**

AT&T South Carolina is not filing a pleading or seeking relief from the Commission. Instead, AT&T South Carolina is making a tariff filing that changes prices for Analog Private Line service, a business optional service, as allowed by Section 58-9-576 of the South Carolina Code.

**STATUTORY OR OTHER LEGAL AUTHORITY UNDER WHICH PLEADING IS FILED:**

AT&T South Carolina is making this tariff filing pursuant to S.C. Code Ann. §58-9-576. This tariff filing is presumed valid and becomes effective seven days after filing for price decreases and fourteen days after filing for price increases. *See* S.C. Code Ann. §58-9-576(B)(6).

**IF THE PLEADING IS A RATE CASE AFFECTING THE GENERAL BODY OF SUBSCRIBERS, LIST ALL CURRENT AND PROPOSED RATES AND ANY OTHER CHANGES TO THE COMPANY'S TARIFF CURRENTLY ON FILE WITH THE COMMISSION:**

AT&T South Carolina's tariff filing is not a rate case, but in an attempt to assist the Commission, AT&T South Carolina states that this filing increases the prices for Analog Private Line service, a business optional service.

A notice has been included in November and December bills advising customers of the new prices. Price changes will be effective on or after December 20, 2008.

### B3. CHANNELS

#### B3.4 Rates and Charges

##### B3.4.1 Local Channels

- A. Sub Voice Grade (Obsoleted, See Section B103.)
- B. Voice Grade  
Per point of termination
  - 1. Voice

		Monthly Rate	Nonrecurring Charge		USOC	
			First	Additional		
(a)	Type 2230	\$ 54.60	\$496.80	\$165.60	P2JUX	(1)
(b)	Type 2231	82.00	496.80	165.60	P2JHX	(1)
(c)	Type 2432	150.40	561.60	208.80	P2JQX	(1)
(d)	Type 2434	27.20	237.60	119.52	P2JGX	(1)
(e)	Type 2435	150.40	532.80	187.20	P2JWX	(1)
(f)	Type 2261	82.00	835.20	352.80	P2JLX	(1)
(g)	Type 2462	85.40	813.60	338.40	P2JRX	(1)

- 2. Data

(a)	Type 2260	82.00	597.60	230.40	P2JKX	(1)
(b)	Type 2463	164.20	597.60	230.40	P2JMX	(1)
(c)	Type 2464	164.20	590.40	223.20	P2JNX	(1)

- C. Wired Music

- 1. Per point of termination

(a)	Type 6210	66.40	806.40	331.20	P6JJX	(1)
(b)	Type 6211	66.40	806.40	331.20	P6JAX	(1)
(c)	Type 6212	85.40	928.80	432.00	P6JBX	(1)
(d)	Type 6213	95.00	950.40	453.60	P6JCX	(1)
(e)	Type 6214	66.40	806.40	331.20	P6JKX	(1)
(f)	Type 6215	66.40	806.40	331.20	P6JEX	(1)
(g)	Type 6216	85.40	928.80	432.00	P6JNX	(1)
(h)	Type 6217	95.00	950.40	453.60	P6JGX	(1)

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.3 Interoffice Channels<sup>1</sup>

A. Fixed and Mileage Charges applicable, per channel

1. Sub Voice Grade - Series 1000 (Obsoleted, See Section B103.)
2. Voice Grade Service - Series 2000

	<b>Fixed Monthly Rate</b>	<b>Monthly Rate Per Mile</b>	<b>Nonrecurring Charge</b>	<b>USOC</b>	
(a) 1 thru 8 Miles	<i>\$ 164.20</i>	<i>\$6.80</i>	<i>\$ 151.20</i>	<b>3LBBS</b>	(1)
(b) 9 thru 25 Miles	<i>164.20</i>	<i>6.80</i>	<i>151.20</i>	<b>3LBBS</b>	(1)
(c) Over 25 Miles	<i>164.20</i>	<i>6.80</i>	<i>151.20</i>	<b>3LBBS</b>	(1)
3. Wired Music - Series 6000 3.0 kHz Types 6210, 6211, 6214 and 6215					
(a) 1 thru 8 Miles	<i>95.00</i>	<i>3.80</i>	<i>119.52</i>	<b>3LBBS</b>	(1)
(b) 9 thru 25 Miles	<i>95.00</i>	<i>3.70</i>	<i>119.52</i>	<b>3LBBS</b>	(1)
(c) Over 25 Miles	<i>95.00</i>	<i>3.60</i>	<i>119.52</i>	<b>3LBBS</b>	(1)
4. Wired Music - Series 6000 5 kHz Types 6212 and 6216					
(a) 1 thru 8 Miles	<i>95.00</i>	<i>7.70</i>	<i>108.00</i>	<b>3LBDS</b>	(1)
(b) 9 thru 25 Miles	<i>95.00</i>	<i>7.50</i>	<i>108.00</i>	<b>3LBDS</b>	(1)
(c) Over 25 Miles	<i>95.00</i>	<i>7.30</i>	<i>108.00</i>	<b>3LBDS</b>	(1)
5. Wired Music - Series 6000 8 kHz Types 6213 and 6217					
(a) 1 thru 8 Miles	<i>132.90</i>	<i>11.60</i>	<i>108.00</i>	<b>3LBES</b>	(1)
(b) 9 thru 25 Miles	<i>132.90</i>	<i>11.30</i>	<i>108.00</i>	<b>3LBES</b>	(1)
(c) Over 25 Miles	<i>132.90</i>	<i>11.10</i>	<i>108.00</i>	<b>3LBES</b>	(1)

**Note 1:** For method of determining mileage, See B3.3.3.A.

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.4 Optional Features and Functions

###### A. Bridging

Bridging charges are applicable where more than two Local Channels, or one or more Local Channels and more than one Interoffice Channel, or more than one Local Channel and one Interoffice Channel are bridged or hubbed at the same wire center. No additional bridging charges are applicable for Series 1000, Types 1204 and 1205.

###### 1. Voice Grade Bridges (Series 2000)

###### a. Voice Bridging

###### (1) Per Port

	<b>Nonrecurring Charge</b>	<b>Monthly Rate</b>	<b>USOC</b>	
(a) Two-Wire (Type 2230)	\$ 56.16	\$ 27.30	BQ9	(1)
(b) Four-Wire (Type 2435)	56.16	31.90	BQ9	(1)

###### b. Data Bridging

###### (1) Per Port

(a) Four-Wire (Types 2463 and 2464)	61.92	45.60	BQ9	(1)
-------------------------------------	-------	-------	-----	-----

###### c. Dataphone Select-A-Station Bridging - Primary Data Station Selector

###### (1) Sequential Arrangement

(a) Common Equipment	331.20	360.00	DSG++	
(2) Addressable Arrangement				
(a) Common Equipment	367.20	360.00	D7S	
(3) Channel Connections				
(a) Per two-wire connection	57.60	7.20	DSK	
(b) Per four-wire connection	63.36	21.60	DSP	

###### d. Dataphone<sup>®</sup> Select-A-Station Bridging - Secondary Data Station Selector

###### (1) Sequential Arrangement

(a) Common Equipment	331.20	360.00	DSQ++	
(2) Addressable Arrangement				
(a) Common Equipment	367.20	360.00	D7Y	
(3) Channel Connections				
(a) Per two-wire connection	57.60	7.20	DSR	
(b) Per four-wire connection	63.36	21.60	DSZ	

###### e. Telemetry and Alarm Bridging - Split Band, Active Bridging

###### (1) Common Equipment, per central office

(a) First bridging shelf, capacity of 48 two-wire connections	365.00	132.00	XW1	(1)
(b) Additional bridging shelf, capacity of 56 two-wire connections installed subsequent to the first bridging shelf	330.00	132.00	XW2	(1)

<sup>®</sup> Registered Service Mark of American Telephone and Telegraph Company

All AT&T and BellSouth marks contained herein and as set forth in the trademarks and service marks section of the BellSouth Tariff are owned by AT&T Intellectual Property or AT&T affiliated companies.

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.4 Optional Features and Functions (Cont'd)

###### A. Bridging (Cont'd)

###### 1. Voice Grade Bridges (Series 2000) (Cont'd)

###### e. Telemetry and Alarm Bridging - Split Band, Active Bridging (Cont'd)

###### (1) Common Equipment, per central office (Cont'd)

	Nonrecurring Charge	Monthly Rate	USOC	
(c) Additional bridging shelf, capacity of 56 two-wire connections installed at the same time as the first bridging shelf	\$205.00	\$55.00	XW8	(1)
(2) Channel connections, per channel connected				
(a) Remote station channel connection	40.00	3.30	XW3	(1)
(b) Mid-link channel connection, first channel	47.00	11.00	XW4	(1)
(c) Mid-link channel connection, subsequent channels	47.00	11.00	XW5	(1)

###### 2. Wired Music Bridges (Series 6000)

###### a. Distribution Amplifiers

###### (1) Per Port

(a) Each	50.40	2.88	6LE	
----------	-------	------	-----	--

###### B. Signaling Arrangements

Signaling arrangements are provided at the customer's option to arrange channels for suitable signaling. Signaling is required on all off-premises extension channels and tie line channels associated with PBX (or similar) systems.

###### 1. Per local channel

	Monthly Rate	Nonrecurring Charge		USOC	
		Initial	Subsequent		
(a) Ringdown-Manual	\$ 17.40	\$60.48	\$309.60	SL3	(1)
(b) Ringdown-Automatic	19.00	21.60	106.56	SL5	(1)
(c) E & M Type	19.00	61.92	273.60	SLM	(1)
(d) Type A (0-199 ohms)	9.50	60.48	201.60	SAL	(1)
(e) Type B (200-899 ohms)	9.50	59.04	201.60	SAU	(1)
(f) Type C (900 or more ohms)	4.70	15.84	201.60	SAY	(1)

###### C. Conditioning (Voice Grade Services)

1. Conditioning provides more specific transmission characteristics for data services. There are two types of C-conditioning and one type of D-conditioning, each with different technical specifications. C-Type conditioning controls attenuation distortion and envelope delay distortion. D-Type conditioning controls the signal to C-notched noise ratio and intermodulation distortion.

### B3. CHANNELS

#### B3.4 Rates and Charges (Cont'd)

##### B3.4.4 Optional Features and Functions (Cont'd)

###### C. Conditioning (Voice Grade Services) (Cont'd)

###### 1. (Cont'd)

Conditioning is charged for on a per Local Channel basis for two-point and multi-point service. For two-point services the parameters apply to each service. For multipoint services the parameters apply to any path between any two service points.

###### 2. The types and description of the available conditioning options are as follows:

Type Conditioning	Frequency Response Specification	Envelope Delay Distortion Specification	Non-Linear Distortion	
			2nd Order Distortion	3rd Order Distortion
C1 (two-point or multipoint)	300-2700 Hz, -2dB to +6dB. 1000-2400 Hz, -1dB to +3dB. 300-3000 Hz, -3dB to +12dB.	1000-2400 Hz, less than 1000 microseconds		
C2 (two-point or multipoint)	300-3000 Hz, -2dB to +6dB. 500-2800 Hz, -1dB to +3dB.	1000-2600 Hz, less than 500 microseconds 600-2600 Hz, less than 1500 microseconds 500-2800 Hz, less than 3000 microseconds		
D1 (two-point)	C-Notched Noise  Noise level 28dB below signal level		35dB below signal level	40dB below signal level

###### 3. When a channel is equipped with Type D1 conditioning and is utilized for voice communications, the Company does not undertake to represent that the channel will be suitable for such voice transmission.

###### 4. C-Type Conditioning

###### a. C-Type Conditioning is available for Types 2463 and 2464.

###### (1) C-Types of Conditioning per local channel

	Monthly Rate	Nonrecurring Charge		USOC	
		Initial	Subsequent		
(a) C1-Type	\$4.70	\$14.40	\$122.40	P2W	(1)
(b) C2-Type	4.70	31.68	135.36	P3W	(1)

###### 5. D-Type Conditioning

###### a. D-Type Conditioning is available for Types 2463 and 2464.

###### (1) D-Type Conditioning per local channel

	Monthly Rate	Initial	Subsequent	USOC	
(a) D1-Type	4.70	21.60	128.16	QHA	(1)